

Certificate No: CBD-GUR-0031

Sample Information

Customer: CBD Guru
 Sample: CBD Clay Mask 100mg CBD 50ml
 Sample Batch #: CBD-GUR-0031
 PV Sample ID: 4025
 Sample Received Date: 16 Mar 2021

Method Information

Instrument ID: PVQOOI
 Method ID: PVOOI
 Column ID: PVC002
 Data Sequence File:
 Analysis: 31/03/21

| Analyte | mg/ml |
|---|---------|
| CBDV (Cannabidivarin) | <0.0005 |
| CBDVA (Cannabidivarinic acid) | <0.0005 |
| CBG (Cannabigerol) | <0.0005 |
| CBD (Cannabidiol) | 20.2 |
| THCV (Tetrahydrocannabivarin) | <0.0005 |
| CBDA (Cannabidiolic acid) | <0.0005 |
| CBGA (Cannabigerolic acid) | <0.0005 |
| CBN (Cannabinol) | <0.0005 |
| Δ 9-THC (Δ 9-tetrahydrocannabinol) | <0.0005 |
| Δ 8-THC (Δ 8-tetrahydrocannabinol) | <0.0005 |
| THCVA (Tetrahydrocannabivarinic acid) | <0.0005 |
| CBC (Cannabichromene) | <0.0005 |
| THCA (Δ 9-tetrahydrocannabinolic acid) | <0.0005 |
| CBCA (Cannabachromenic acid) | <0.0005 |

Checked and authorised:

Mr D Bové
 Chief Regulatory Officer

ISO/IEC 17025:2017



Accreditation number: 106599
 Certificate number: L19-627

